



# SP 30 - 45 & SM 25 - 40

ASPIRAPOLVERE/LIQUIDI A 1 MOTORE PER USO PROFESSIONALE  
SINGLE-MOTOR WET & DRY VACUUM CLEANERS FOR PROFESSIONAL USE



## SP 30-45 & SM 40-25 - ASPIRAPOLVERE/LIQUIDI A 1 MOTORE PER USO PROFESSIONALE

- Maneggevoli, facili da spostare
  - Super silenzioso e compatto (SP 30 DRY, SM 25 DRY)
  - Ideali per l'utilizzo in ambienti quali: piccoli uffici, abitazioni, garage, negozi, botteghe, magazzini, etc.
  - Attrezzature necessarie per tutte le imprese di pulizia
  - Includono kit di accessori professionali e filtri per la pulizia di pavimenti, di piccoli angoli e fessure difficili da raggiungere, interni auto e molte altre diverse zone
  - La maggior parte dei modelli è disponibile con un serbatoio in plastica anti-urto, o con un serbatoio in acciaio inox AISI 430
  - Base aspiratore montata su quattro ruote robuste per una maggiore stabilità
  - Ruote in gomma antitraccia
  - Paraurti in gomma per protezione antiurto contro pareti e mobili per modelli con fusto in acciaio inox
- *Easy to handle, easy to move, self-contained units.*
  - *Super silent compact dry models (SP 30 DRY, SM 25 DRY)*
  - *Ideal for use in environments such as: small offices, workshops, homes, garages, stores, warehouses, etc.*
  - *Necessary equipment for all cleaning companies*
  - *Include professional attachment kits and filters, for cleaning of floors, upholstery, small corners and crevices, hard to reach places, car interiors, and many other diverse areas*
  - *Most models are available with either a shock-proof plastic tank, or a stainless steel AISI 430 tank*
  - *Mounted on sturdy wheel base for extra stability*
  - *Non-marking rubber wheels*
  - *Rubber bumper for wall and furniture protection on stainless steel models*




## ACCESSORI IN DOTAZIONE / SUPPLIED ACCESSORIES

	N°	MOD.	COD.	DESCRIZIONE - DESCRIPTION
	1	SP 30 - SM 25 (Tutti - All)	004.317	Tube flessibile diam.36 mm completo (l= 1,8 m) Flexible hose diam.36 mm complete (l= 1,8 m)
	2	SP 30 - SM 25 (Tutti - All)	004.404	Prolunga acciaio diam. 36 mm (2 pezzi) Extension tubes (2 pieces), steel diam.36 mm
	3	SP 30 - SM 25 (Tutti - All)	004.399	Spazzola combinata diam.36 mm Combination brush diam.36 mm
	4	SP 30 - SM 25 (Tutti - All)	004.400	Lancia piatta diam.36 mm - Crevice tool diam.36 mm
	5	SP 30 - SM 25 (Tutti - All)	004.402	Pennello diam.36 mm - Round brush diam.36 mm
	6	SP 30 - SM 25 (Tutti - All)	004.401	Bocchettina diam.36 mm - Upholstery tool diam.36 mm
	7	SP 30 - SM 25 (no dry)	004.319	Ventosa liquidi diam.36 mm Squeegee floor tool diam.36 mm
	1	SP 45 - SM 40	004.329	Tubo flessibile diam.40 mm completo (l= 3 m) Flexible hose diam.40 mm complete (l= 3 m)
	2	SP 45 - SM 40	004.046	Doppia curva acciaio diam.40 mm Double-elbow steel tube, diam.40 mm
	3	SP 45 - SM 40	004.331	Spazzola setole "S" diam.40 mm - Brush floor tool "S" diam.40 mm
	4	SP 45 - SM 40	004.326	Ventosa liquidi diam.40 mm - Squeegee floor tool diam.40 mm
	5	SP 45 - SM 40	004.421	Lancia piatta diam.40 mm - Crevice tool diam.40 mm
	6	SP 45 - SM 40	004.088	Pennello diam.40 mm - Round brush diam.40 mm
		Tutti - All	004.424	Filtro in Poliestere con anello portafiltro Polyester filter with support ring
		SP 30 - SM 25 (NO DRY) SP 45 - SM 40	004.410	Filtro spugna - Sponge filter
		SP 30 DRY - SP 30 - SM 25 DRY - SM 25	004.321	Filtro a sacco super - Super filter bag
		SP 45 - SM 40	004.335	

SP 30-45 & SM 25-40 - ASPIRAPOLVERE/LIQUIDI A 1 MOTORE PER USO PROFESSIONALE  
 SINGLE-MOTOR WET & DRY VACUUM CLEANERS FOR PROFESSIONAL USE

ACCESSORI A RICHIESTA/ ACCESSORIES ON DEMAND

<b>FILTRO CARTUCCIA POLIESTERE CLASSE M CARTRIDGE POLYESTER FILTER CLASS M</b>	<b>FILTRO HEPA CLASSE H13 HEPA FILTER CLASS H13</b>	<b>FILTRO NYLON NYLON FILTER</b>
		
<b>Mod. Tutti-All/ Cod. 004.387</b>	<b>Mod. Tutti-All/ Cod. 004.437</b>	<b>Mod. Tutti-All/ Cod. 004.180</b>
<b>FILTRO CALOR HEAT-RESISTANT FILTER</b>	<b>KIT FORNO OVEN KIT</b>	
		
<b>Mod. SM 25 DRY - SM 25 - SM 40 Cod. 004.346</b>	<b>Mod. SM 25 DRY - SM 25 - SM 40 Cod. 004.332</b>	



PESI E DIMENSIONI MACCHINA WEIGHTS AND DIMENSIONS MACHINE					IMBALLO PACKAGING			
MOD	A	B	C	Netto/Net	X	Y	H	Lordo/Gross
	[mm]	[mm]	[mm]	[kg]	[mm]	[mm]	[mm]	[kg]
SP 30	430	430	518	9,2	474	474	580	10,8
SM 25	430	430	518	9,7	474	474	580	11,3
SP 45	430	430	720	10,7	474	474	760	12,3
SM 40	430	430	720	11,4	474	474	760	13

	SP 30 DRY*	SP 30	SP 45	SM 25 DRY*	SM 25	SM 40
codice - code	● 008.314	● 008.318	● 008.319	● 008.334	● 008.335	● 008.337
potenza max - max. power	[ W ]	1.200	1.200	1.200	1.200	1.200
alimentazione - power supply	[ V - ph - HZ ]	230-1-50/60	230-1-50/60	230-1-50/60	230-1-50/60	230-1-50/60
tipo motore - motor type	TF	BP	BP	TF	BP	BP
depressione - water lift	[ mm H <sub>2</sub> O ]	2.200	2.200	2.200	2.200	2.200
portata aria - air flow	[ m <sup>3</sup> /h ]	198	198	198	198	198
volume fusto in litri - tank volume in liters	[ l ]	30	30	45	25	40
materiale fusto - tank material		PE HD	PE HD	PE HD	SS 430	SS 430
livello rumore - noise level	[ dBA ]	62	65	65	62	65
kit accessori - attachments kit	[ mm ]	36 DRY	36 WD	40	36 DRY	36 WD
lunghezza cavo elettrico - electric cable length	[ m ]	7	7	7	7	7
dimensioni pallet - pallet dimensions	[ cm ]	110x130x190	110x130x190	110x130x160	110x130x190	110x130x190
quantità per pallet - pallet quantities	[ pz - pcs ]	18	18	12	18	18

\* SP30 DRY - SM25DRY: solo per polvere. No liquidi - SP30 DRY - SM25DRY: for dry use only. No liquids.

TF = Bi-stadio con raffreddamento diretto - 2 stage with direct cooling

BP = Bi-stadio con raffreddamento bypass - 2 stage with bypass cooling

PP = polipropilene - polypropylene

SS 430 = Inox AISI 430 - Stainless steel AISI 430

PE HD = Polietilene alta densità - High density polyethylene

**BIEMMEDUE S.p.A.** Via Industria, 12 - 12062 Cherasco (CN) - Italy - T. +39 0172 486111 - F. +39 0172 488270  
 bm2@biemmedue.com - www.biemmedue.com